

Polytronik® Toroidal Transformers

Standard program "Premium" version

Rated output [VA]	Primary voltage [V-AC]	Item No.	Rated voltage [V-AC]	Rated current [A-AC]	Efficiency [%]	No-load losses [W]	Diameter [mm]	Height [mm]	Weight [kg]
15	230	825001	2 x 9	2 x 0,84	86	0,30	60	39	0,40
		825002	2 x 12	2 x 0,63					
		825003	2 x 15	2 x 0,50					
		825004	2 x 18	2 x 0,42					
30	230	825007	2 x 9	2 x 1,67	86	0,41	69	39	0,51
		825008	2 x 12	2 x 1,25					
		825009	2 x 15	2 x 1,00					
		825010	2 x 18	2 x 0,84					
50	230	825012	2 x 6	2 x 4,17	86	0,49	78	42	0,68
		825013	2 x 9	2 x 2,78					
		825014	2 x 12	2 x 2,08					
		825015	2 x 15	2 x 1,67					
		825016	2 x 18	2 x 1,39					
		825017	2 x 24	2 x 1,04					
		825011	2 x 30	2 x 0,83					
75	230	825019	2 x 9	2 x 4,17	86	0,58	92	40	0,92
		825020	2 x 12	2 x 3,13					
		825021	2 x 15	2 x 2,50					
		825022	2 x 18	2 x 2,08					
		825023	2 x 22	2 x 1,71					
		825018	2 x 30	2 x 1,25					
100	230	825024	2 x 6	2 x 8,33	87	1,11	90	52	1,27
		825025	2 x 9	2 x 5,56					
		825026	2 x 12	2 x 4,17					
		825027	2 x 15	2 x 3,34					
		825028	2 x 18	2 x 2,78					
		825029	2 x 24	2 x 2,08					
		825042	2 x 30	2 x 1,67					
150	2 x 115	825030	2 x 6	2 x 12,50	90	1,33	115	47	1,85
		825031	2 x 9	2 x 8,34					
		825032	2 x 12	2 x 6,25					
		825033	2 x 15	2 x 5,00					
		825034	2 x 18	2 x 4,17					
		825035	2 x 24	2 x 3,13					
		825036	2 x 30	2 x 2,50					
200	2 x 115	825037	2 x 9	2 x 11,12	91	1,91	115	62	2,54
		825038	2 x 12	2 x 8,34					
		825039	2 x 15	2 x 6,67					
		825040	2 x 18	2 x 5,56					
		825041	2 x 115	2 x 0,87					
250	2 x 115	825044	2 x 12	2 x 10,42	92	1,73	129	55	2,73
		825045	2 x 15	2 x 8,34					
		825046	2 x 18	2 x 6,95					
		825047	2 x 24	2 x 5,21					
		825048	2 x 30	2 x 4,17					
300	2 x 115	825050	2 x 12	2 x 12,50	93	1,96	128	60	3,07
		825051	2 x 15	2 x 10,00					
		825052	2 x 18	2 x 8,34					
		825055	2 x 24	2 x 6,25					
		825053	2 x 30	2 x 5,00					
		825054	2 x 115	2 x 1,31					

The current and voltage values in the table are AC nominal load values.

For further information, please refer to the data sheet which you can find on our homepage www.sedlbauer.de/en.

Subject to technical modifications without notice.

Rated output [VA]	Primary voltage [V-AC]	Item No.	Rated voltage [V-AC]	Rated current [A-AC]	Efficiency [%]	No-load losses [W]	Diameter [mm]	Height [mm]	Weight [kg]
500	2 x 115	825057	2 x 12	2 x 20,84	94	2,86	156	62	4,78
		825058	2 x 15	2 x 16,67					
		825059	2 x 18	2 x 13,89					
		825062	2 x 24	2 x 10,42					
		825060	2 x 30	2 x 8,34					
		825063	4 x 32	4 x 3,91					
		825068	2 x 40	2 x 6,25					
		825061	2 x 115	2 x 2,18					
750	2 x 115	825064	2 x 12	2 x 31,25	96	4,88	168	76	7,33
		825065	2 x 18	2 x 20,83		4,73	168	76	7,33
		825066	2 x 30	2 x 12,50		3,95	172	72	6,80
		825067	2 x 115	2 x 3,26		3,95	172	72	6,80
1000	2 x 115	825070	2 x 12	2 x 41,67	96	6,95	198	76	9,60
		825071	2 x 18	2 x 27,78		6,42	198	76	9,60
		825072	2 x 30	2 x 16,67		5,78	172	88	8,75
		825074	2 x 50	2 x 10,00		5,78	172	88	8,75
		825075	4 x 50	4 x 5,00		5,78	172	88	8,75
		825073	2 x 115	2 x 4,35		5,78	172	88	8,75
2000	2 x 115	825080	2 x 115	2 x 8,70	98	10,53	215	115	16,00

Subject to technical modifications without notice.